


1.7 SELECTION AND CODING OF THE BUTTERFLY VALVES



BODY		DISC		OPERATION		SEAT	
Code	Material	Code	Material	Code	Material	Code	Material
FL(w)	Wafer (Cast iron)	1	Stainless steel cast CF-8	EL	Bare shaft	E	EPDM
FLN(w)	Wafer (Nodular cast iron)	2	Cast aluminium Epoxy coated	MN	Lever (15° Notched)	HT	EPDM high temperature
LUG(w)	Lugged (Cast iron)	3	Nodular cast iron Epoxy coated	MR	Lever (Clamping)	N	Nitrile
LUGN(w)	Lugged (Nodular cast iron)	4	Cast bronze/alumin. Cast bronze/tin	V	Direct Wheel	N	Nitrile Carboxylic
FG(w)	Flanged (Cast iron)	5	Stainless steel cast CF-8M	MDVV	Planetary gearbox	N	Nitrile Hydrogenated
FN(w)	Flanged (Nodular cast iron)	6	Carbon steel cast Epoxy coated	MDV	Gearbox	AP	Flucast AB/P
FA(w) FA(wM)	Wafer (Carbon steel)	7	Nodular cast iron EPDM Vulcanized	MND	Pneumatic actuator double acting	AE	Flucast AB/E
FI(w) FI(wM)	Wafer (Satinless steel)	8	Duplex cast steel Noridur	MNS	Pneumatic actuator spring return	AN	Flucast AB/N
LUGA(w) LUGA(wM)	Lugged (Carbon steel)	9	Stainless steel cast CF-3M	MSE	Electrical actuator	S	Silicone
LUGI(w)	Lugged (Stainless steel)	10	Super Duplex 904L Uranus B6	MHD	Hydraulic actuator doble acting	SA	Alimentary silicone
FGA(w)	Flanged (Carbon steel)			MHS	Hydraulic actuator spring return	SV	Steam silicone
FGI(w)	Flanged (Stainless steel)			F	Plumber lever	V	Viton
KL	Wafer (Cast aluminium)					V	Biodiesel Viton
FLV	Wafer Vulcanized (Cast iron)					V	Viton GF Gasoline
FLNV	Wafer Vulcanized (Nodular cast iron)					H	Hypalon
VV	Grooved ends (Nodular cast iron)					-	Epichlorohydrin
						NP	Neoprene
						B	Butyle

Necessary data for an enquiries or orders:

1. Type of fluid.
2. Working conditions (P, T and Velocity).
3. Material qualities.
4. Diameter.
5. Standards applied.
6. Drilling Norm (Assembly Flange).
7. Type of Operation.

Nota: For special materials not included in our technical catalogue contact to our technical department.